



FASTRAK DRY FREIGHT PROGRAM

When you need a quality truck body and you need it fast, **Morgan's Fastrak** Dry Freight body delivers! Morgan can provide a quick turnaround!



**QUICK
TURNAROUND**



**MULTIPLE
LOCATIONS**



**FAST
DELIVERY**



**VARIOUS SIZES
AVAILABLE**



MORGAN'S PRE-CONFIGURED FASTRAK BODIES ARE THE ANSWER!

Choose the cargo interior package that you prefer between 4 different options. Numerous body sizes are available, as well as specific liftgates for this program. Morgan's Fastrak Dry Freight Program is available at (4) locations across the country. Start your order today and get on the road fast.



FT-1

3/8" plywood sides, 1/2" plywood front for unobstructed cargo loading.



FT-2

3/8" plywood sides and partially exposed wood slats to provide varying degrees of sidewall protection, 1/2" plywood front.



FT-3

A wood scuff-guard with 6 rows of durable wood slats for easy cargo control anywhere along the perimeter.



FT-4

No liner, for instances where tie downs are unnecessary and cargo is unlikely to shift.

STANDARD FEATURES

| | |
|--------------------------|--|
| Subframe | 3" i-beam crossmembers on 12" centers with 4" longrail , mylar tape is applied between all steel subframe components and extruded aluminum lower bottom rails to prevent corrosion |
| Floor | 1- 1/8" laminated hardwood floor. Floor boards are ship lapped and pre-undercoated for protection from the elements |
| Threshold | Steel galvanized angle flush to rear |
| Rear Door | Overhead roll-up door |
| Rear Frame | Galvannealed steel-painted imron white, includes built-in header design, clearance light protector and rain deflector, curbside and roadside grab-handles |
| Roof | .032" one-piece aluminum sheet with anti-snap roof bows on 24" centers with crowned roof design which prevents water/ice pooling |
| Side Wall | Extruded aluminum top and bottom rails with 1 3/8" deep extruded aluminum hat posts installed 16" on-center, provide superior structural support for your truck body and your payload. And the .040" aluminum skin exceeds industry standards. Aluminum is also corrosion-resistant, making it an excellent choice when it comes to protecting your cargo from the elements. |
| Front End | Five-year limited warranty |
| Bumper | 4" tubular bumper with pocked surface and closure plate |
| Interior Lighting | (1) Domelight with indicator switch mounted in cab dash |
| Exterior Lighting | LED sealed clearance lights, per FMVSS 108 installed in front corner caps, side top rails and five across rear header |
| Mounting | Full mount U-bolt |
| Mudflaps | Morgan black |

AUTHORIZED BODY COMBINATIONS

| 96" Body Width | | | | | | | | |
|----------------|---------|-----|-----|-----|-----|-----|-----|-----|
| Height | Lengths | | | | | | | |
| | 12' | 14' | 16' | 18' | 20' | 22' | 24' | 26' |
| 85" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 91" | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 97" | ✗ | ✗ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 103" | ✗ | ✗ | ✗ | ✓ | ✓ | ✓ | ✓ | ✓ |

| 102" Body Width | | | | | |
|-----------------|---------|-----|-----|-----|-----|
| Height | Lengths | | | | |
| | 18' | 20' | 22' | 24' | 26' |
| 97" | ✓ | ✓ | ✓ | ✓ | ✓ |
| 103" | ✓ | ✓ | ✓ | ✓ | ✓ |

AVAILABLE FASTRAK LOCATIONS

Morgan Truck Body's nationwide presence offers all our customers unmatched service and support no matter where they may be in North America.



PORTLAND, OREGON

4436 NE 158th AVE • Portland, OR 97230 | 503-257-8824

RIVERSIDE, CALIFORNIA

7888 Lincoln Ave. • Riverside, CA 92504 | 951-689-0800

EHRENBERG, ARIZONA

18275 Morgan Drive • Ehrenberg, AZ 85334 | 928-927-5777

LAKELAND, FLORIDA

4434 Maine Ave • Lakeland, FL 33801 | 863-669-1022

CORSICANA, TEXAS

8051 Morgan Circle • Corsicana, TX 75109 | 903-872-7445

SELECTABLE LIFTGATE OPTIONS

| VENDOR | GATE MODEL | WIDTH | BED HT |
|---------------|--|-------|--------|
| Waltco | HLF/APBG-30 KN GALV 96EP BPR WR ROPE | 96 | 46-60 |
| Waltco | HLF/APBG-30 KN GALV 102EP BPR WR ROPE | 102 | 46-60 |
| Waltco | EMW-25LBPD 48 X 84 ST 96EP W/O BUMPER | 96 | 37-44 |
| Waltco | EMW-25LBPD 48 X 84 ST 102EP W/O BUMPER | 102 | 37-44 |
| Waltco | CW-20LBPD 36X72 | 96 | 34-45 |
| Palfinger | ILP-33HPD 60X80 AL GA 96EP 9M 21 2-ST CB PLS | 96 | 45-53 |
| Palfinger | ILP-33HPD 60X80 AL GA 102EP 9M 21 2-ST CB PLS | 102 | 45-53 |
| Palfinger | PLR-25SGD 48 X 80 STL W/O BUMPER | 96 | 38-52 |
| Palfinger | PLR-25SGD 48 X 80 STL W/O BUMPER | 102 | 38-52 |
| Maxon | GPTB-3 AP .25 96EP GALV 2 STP CBL BPR 13.5 PE | 96 | 46-55 |
| Maxon | GPTB-3 AP .25 102EP GALV 2 STP CBL BPR 13.5 PE | 102 | 46-55 |
| Maxon | LG M TE-25LGD PNT 48X80 ST 96EP 1-STP BPR PE | 96 | 38-44 |
| Maxon | LG M TE-25LGD PNT 48X80 ST 102EP 1-STP BPR PE | 102 | 38-44 |
| Dhollandia US | RMM-33 60X85 AL GALV 96EP 2-STP FLEX | 96 | 47-57 |
| Dhollandia US | RMM-33 60X85 AL GALV 102EP 2-STP FLEX | 102 | 47-57 |
| Dhollandia US | RPM-25 50X85 AL GALV 96EP 1-STP BPR | 96 | 39-43 |
| Dhollandia US | RPM-25 50X85 AL GALV 102EP 1-STP BPR | 102 | 39-43 |

NEED A DRY FREIGHT BODY QUICK? **FASTRAK DELIVERS!**



Products as shown may include optional equipment that is not part of the standard Morgan Canada Corporation configuration. Some product images may differ from current configurations and may not be available as depicted at the time of your order. NOTE: All dimensions, weights, and measurements specified herein are subject to Morgan's manufacturing tolerances, may change without notice, and may vary depending on options selected. Please contact your Morgan Representative for available options, complete up-to-date specifications and for measurements for your particular truck body and chassis specifications.

© Morgan Truck Body, March 2025